

# REMACHES RIVETS

### Macizos DIN 7338-A

D	L	Alum.	Cobre
6	25	.	.
	30	.	.
8	20	.	.
	35	.	.
10	40	.	.

### Semi-tubulares DIN 7338-B

D	L	Ac.lat	Latón	Cobre
4	5	.	.	.
	6	.	.	.
	7	.	.	.
	8	.	.	.
	9	.	.	.
	11	.	.	.
	14	.	.	.
	16	.	.	.
4,5	11	.	.	.
	6	.	.	.
	7	.	.	.
	8	.	.	.
	9	.	.	.
	11	.	.	.
	12	.	.	.
	14	.	.	.
5	11	.	.	.
	14	.	.	.
	15	.	.	.
	16	.	.	.
	18	.	.	.
	20	.	.	.
	22	.	.	.
	24	.	.	.
8	14	.	.	.
	15	.	.	.
8,5	16	.	.	.
	18	.	.	.
	20	.	.	.
	22	.	.	.
10	16	.	.	.
	17	.	.	.

### Tubulares DIN 7338-C

D	L	Ac. lat	Latón	Cobre
4	6	.	.	.
	7	.	.	.
	9	.	.	.
	11	.	.	.
	14	.	.	.
4,5	6	.	.	.
	7	.	.	.
	9	.	.	.
	11	.	.	.
	14	.	.	.
5	6	.	.	.
	9	.	.	.
	11	.	.	.
	14	.	.	.
	16	.	.	.
6	6	.	.	.
	9	.	.	.
	11	.	.	.
	14	.	.	.
	16	.	.	.
8	6	.	.	.
	9	.	.	.
	11	.	.	.
	14	.	.	.
	16	.	.	.
10	18	.	.	.
	20	.	.	.

### Semi-tubulares Cabeza Plana 6,35 mm.

D	Ref.	L	Ac. Lat
6,35	P9	14,3 mm.	.
	P10	15,9 mm.	.
	P11	17,5 mm.	.
	P12	19 mm.	.
	P14	22,2 mm.	.

### Semi-Tubulares Cabeza Conica

D	Ref.	L	Ac. Lat	Latón	Cobre
6,35	L7,5	11,9	.	.	.
	L8	12,7	.	.	.
	L9	14,3	.	.	.
	L10	15,9	.	.	.
	L11	17,5	.	.	.
	L12	19	.	.	.
	L14	22,2	.	.	.
5	15	*	.	.	.
	15	.	.	.	.
6	15	.	.	.	.
	16	.	.	.	.

\* Especial Fruehauf

### Especial Sachs

D	L	Ac. cinc
5	5	.
	6	.
	7	.
6	5	.
	6	.
	9	.

### Especial Morris

D	L	Cobre
8,9	6,9	.





